

The Dangers of Statins

HIGHLIGHTS

- › One of the biggest misconceptions is that cholesterol causes heart disease and that statins, which lower cholesterol, prevent it. Not only is this untrue, but the highly profitable statins are also among the most harmful pharmaceuticals available (and share many eerie parallels to the COVID vaccines)
- › Despite growing evidence that lowering cholesterol does not reduce heart disease, the medical industry continues to push statins. Studies have shown that the benefits of statins are minimal, with data manipulated to exaggerate their effectiveness
- › Statins are aggressively promoted, not because of their efficacy, but due to financial interests in the pharmaceutical industry. Guidelines on cholesterol and statins are often created by experts who have conflicts of interest. Many doctors and patients are penalized for not adhering to these guidelines
- › Statins cause significant harm, with side effects like muscle pain, cognitive issues, and even life-threatening conditions such as diabetes and liver dysfunction. Despite widespread patient reports of these injuries, the medical community often dismisses them, attributing them to a "nocebo effect" or imagining the problem

The more I study science, and particularly medicine, the more I come to see how often fundamental facts end up being changed so that a profitable industry can be created. Recently I showed [how this happened with blood pressure](#), as rather than causing arterial damage, high blood pressure is a response to arterial damage that ensures damaged arteries can still bring blood to the tissues and, in turn, rather than helping patients, aggressively lowering blood pressure can be quite harmful.

In this article, I will look at the other half of the coin, the [Great Cholesterol Scam](#) – something that harms so many Americans it was recently discussed by Comedian Jimmy Dore.

Cholesterol and Heart Disease

Frequently, when an industry harms many people, it will create a scapegoat to get out of trouble. Once this happens, a variety of other sectors will jump on the bandwagon and create an unshakable societal dogma.

For example, the health of a population (or if they are being poisoned by environmental toxins) determines how easily an infectious disease can sweep through a population and who is susceptible to it, but reframing infectious diseases as a "deficiency of vaccines" it both takes the (costly) onus off the industries to clean up the society and simultaneously allows them to get rich promoting the pharmaceutical products that "manage" each epidemic and the even larger epidemic of chronic diseases caused by those vaccines.

Note: *The major decline in infectious illness that is credited to vaccines actually was a result of improved public sanitation, and when the data is examined (e.g., [for smallpox](#)) those early vaccination campaigns made things worse not better.*

In the 1960s and 1970s, a debate emerged over what caused heart disease. On one side, John Yudkin effectively argued that the sugar being added to our food by the processed food industry was the chief culprit. On the other side, Ancel Keys (who attacked Yudkin's work) argued that it was due to saturated fat and cholesterol.

Note: *Leaders in the field of natural medicine, like Dr. Mercola, have made a strong case this spike came from the mass adoption of [seed oils](#) (which thanks to our unprecedented political climate is at last [being discussed on the mainstream news](#)). Likewise, some believe the advent of water chlorination was responsible for this increase.*

Ancel Keys won, Yudkin's work was largely dismissed, and Keys became nutritional dogma. A large part of Key's victory was based on his study of seven countries (Italy, Greece, Former Yugoslavia, Netherlands, Finland, America, and Japan), which showed that as saturated fat consumption increased, heart disease increased in a linear fashion.

However, what many don't know (as this study is still frequently cited) is that this result was simply a product of the countries Keys chose (e.g., if Finland, Israel, Netherlands, Germany, Switzerland, France, and Sweden had been chosen, the opposite would have been found).

Fortunately, it's gradually become recognized that Keys did not accurately report his data. For example, recently an unpublished 56 month randomized study of 9,423 adults living in state mental hospitals or a nursing home (which made it possible to rigidly control their diets) was unearthed.

This study, which Keys was the lead investigator of, found that replacing half of one's animal (saturated) fats with seed oil (e.g., corn oil) lowered their cholesterol, but for every 30 points it dropped, their risk of death increased by 22% (which roughly translates to each 1% drop in cholesterol raising the risk of death by 1%).

Note: *The author who unearthed that study also discovered another (unpublished) study from the 1970s of 458 Australians, which found that replacing some of their saturated fat with seed oils increased their risk of dying by 17.6%.*

Likewise, recently, one of the most prestigious medical journals in the world published⁶ internal sugar industry documents. They showed the sugar industry had used bribes to make scientists place the blame for heart disease on fat so Yudkin's work would not threaten the sugar industry. In turn, it is now generally accepted that Yudkin was right, but nonetheless, our medical guidelines are still largely based on Key's work.

However, despite a significant amount of data that now shows lowering cholesterol is not associated with a reduction in heart disease, the need to lower cholesterol is still a dogma within cardiology. For example, how many of you have heard of this 1986 study which was published in the Lancet which concluded:

"During 10 years of follow-up from December 1, 1986, to October 1, 1996, a total of 642 participants died. Each 1 mmol/L increase in total cholesterol corresponded to a 15% decrease in mortality (risk ratio 0 to 85 [95% CI 0.79 to 0.91])."

Statins Marketing


One of the consistent patterns I've observed within medicine is that once a drug is identified that can "beneficially" change a number, medical practice guidelines will gradually shift to prioritizing treating that number and before long, rationales will be created that require more and more of the population to be subject to that regimen. Consider for example [the history of the \(immensely harmful\) blood pressure guidelines](#):

Guidelines	Drug Recommendations			
	SBP (mmHg)		DBP (mmHg)	
	Consider	Treat	Consider	Treat
JNC-I (1977)			≥ 90	≥ 105
JNC-II (1980)			≥ 90	≥ 105
General non-elderly population				≥ 90
Renal disease				≥ 90
Elderly (60+ years)	≥ 160			≥ 90
JNC-III (1984)			≥ 90	≥ 95
General non-elderly population				≥ 90
DM or renal disease				≥ 90
Elderly (60+ years)	≥ 160			≥ 90
JNC-IV (1988)				≥ 90
General non-elderly population	≥ 160			≥ 90
LVH, DM or renal disease	≥ 160			≥ 90
Elderly (60+ years)	≥ 160		≥ 85	≥ 90
JNC-V (1993)				≥ 90
General non-elderly population	≥ 140	≥ 150		≥ 90
DM or renal disease	≥ 130	≥ 140		≥ 90
Elderly (60+ years)	≥ 140	≥ 160		≥ 90
JNC-VI (1997)				≥ 90
General non-elderly population		≥ 140		≥ 90
CHF, renal disease, diabetes		≥ 130		≥ 85
Renal disease w/ Proteinuria		≥ 125		≥ 75
Elderly (60+ years)		≥ 140		≥ 90
JNC-VII (2003)				≥ 90
General non-elderly population		≥ 140		≥ 90
DM or CKD		≥ 130		≥ 80
Elderly (60+ years)		≥ 140		≥ 90
KDIGO (2012)				≥ 80
CKD w/albuminuria		≥ 130		≥ 80
CKD w/o albuminuria		≥ 140		≥ 90
Kidney transplant recipients		≥ 130		≥ 80
Elderly (65+ years) w/CKD	≥ 130		≥ 80	
JNC-VIII (2014)				≥ 90
General non-elderly population, CKD, DM		≥ 140		≥ 90
Elderly (60+ years)	≥ 140	≥ 150		≥ 90
ACC/AHA (2017) "Hypertension" is now anything about 130.				≥ 90
Low CVD risk (ASCVD score <10%)		≥ 140		≥ 90
High CVD Risk (ASCVD score ≥10%, DM, CKD or CVD)		≥ 130		≥ 80
Kidney transplant recipients		≥ 130		≥ 80
Elderly (65+ years)		≥ 130		≥ 80

This small reversal was very controversial and was quickly repealed

That calculator overestimates the risk of a heart or stroke by 600%. Due to this, a lot of people meet the "10% risk" threshold (e.g., almost any set of values you put into it for an older adult with a SBP of 130).

In the case of statins, prior to their discovery, it was difficult to reliably lower cholesterol, but once they hit the market, research rapidly emerged arguing for a greater and greater need to lower cholesterol, which in turn led to more and more people being placed on statins.



As you would expect, similar increases also occurred within the USA. For example, in 2008 to 2009, 12% of Americans over 40 reported taking a statin, whereas in 2018 to 2019, that had increased to 35% of Americans. Given how much these drugs are used, it then raises a simple question – how much benefit do they produce?

As it turns out, this is a remarkably difficult question to answer as the published studies use a variety of confusing metrics to obfuscate their data (which means that the published statin trials almost certainly inflate the benefits of statin therapy), and more importantly, virtually all of the data on statin therapy is kept by a "private" (industry-funded) research collaboration that consistently publishes glowing reviews of statins (and attacks anyone who claims otherwise) but simultaneously refuses to release their data to outside researchers, which has led to those researchers attempting to get this missing data from the drug regulators.

Note: As discussed in Dr. Malhotra's interview below, this collaboration (which militantly insists less than 1% of statin users experience side effects) also created a test one could utilize to determine if one was genetically at risk for a statin injury – and in their

marketing for the test said 29% of all statin users were likely to experience side effects (which they then removed once health activists publicized this hypocrisy).

Nonetheless, when independent researchers looked at the published trials (which almost certainly inflated the benefit of statin therapy) they found that taking a statin daily for approximately 5 years resulted in you living, on average, 3 to 4 days longer. Sadder still, large trials have found this minuscule "benefit" is only seen in men. In short, most of the benefit from statins is from creative ways to rearrange data and causes of death, not any actual benefit.

Note: *This is very similar to Pfizer's COVID vaccine trial which professed to be "95% effective" against COVID-19, but in reality only created a 0.8% reduction in minor symptoms of COVID (e.g., a sore throat) and a 0.037% reduction in severe symptoms of COVID (with "severe" never being defined by Pfizer).*

This in turn meant that you needed to vaccinate 119 people to prevent a minor (inconsequential) case of COVID-19, and 2711 to prevent a "severe" case of COVID-19.

Worse still, **a whistleblowers later revealed** that these figures were greatly inflated as individuals in the (unblinded) vaccine group who developed COVID-19 like symptoms weren't tested for COVID-19 and their vaccine injuries were never reported. Sadly, in most cases (e.g., the statin trials) we don't have access to whistleblowers who can inform us of how unsafe and ineffective these drugs actually are.

In circumstances like these where an unsafe and ineffective but highly lucrative drug must be sold, the next step is typically to pay everyone off to promote it. For example:

"The National Cholesterol Education Programme (NCEP) has been tasked by the National Institutes of Health to develop guidelines [everyone uses] for treating cholesterol levels. Excluding the chair (who was by law prohibited from having financial conflicts of interest), the other 8 members on average were on the payroll of 6 statin manufacturers.

In 2004, NCEP reviewed 5 large statin trials and recommended: 'Aggressive LDL lowering for high-risk patients [primary prevention] with lifestyle changes and statins.'

In 2005 a Canadian division of the Cochrane Collaboration [who were not paid off] reviewed 5 large statin trials (3 were the same as NCEP's, while the other 2 had also reached a positive conclusion for statin therapy). That independent assessment instead concluded: "Statins have not been shown to provide an overall health benefit in primary prevention trials."

Note: *The primary reason no cure for COVID-19 was ever found was that the guideline panel for COVID-19 treatments was handpicked by Fauci and comprised of **academics taking money** from Remdesivir's manufacturers. Not surprisingly, the panel always voted against recommending any of the non-patentable treatments for COVID-19, regardless of how much evidence there was for them.*

Likewise, the American College of Cardiology made a calculator to determine your risk of developing a heart attack or stroke in the next ten years based on your age, blood pressure, cholesterol level, and smoking status. In turn, I've lost track of how many doctors I saw proudly punch their patient's numbers into it and then inform them that they were at high risk of a stroke or heart attack and urgently needed to start a statin.

Given that almost everyone ended up being "high risk" I was not surprised to learn that in 2016, Kaiser completed an extensive study which determined that this calculator overestimated the rate of these events by 600%. Sadly, that has not at all deterred the use of this calculator (e.g., medical students are still tested on it for their board examinations).

Note: *One of the most unfair things about statins is that the health care system decided they are "essential" for your health, so doctors who don't push them are financially penalized, and likewise patients who don't take them are as well (e.g., through life insurance premiums).*

So, despite the overwhelming evidence against their use, many physicians believe so deeply in the "profound" benefits of statins that they do things like periodically advocating for statins to be added to the drinking water supply.

In tandem, a cancel culture (reminiscent of what we saw with the COVID vaccines) has been created where anyone who challenges the use of Statins is immediately labeled as a "statin denier" accused of being a mass murderer and effectively canceled. Recently, a statin and COVID vaccine dissident, British Cardiologist Aseem Malhotra discussed the dirty parallels between these two industries on Joe Rogan:

In addition to doctors being forced to follow these guidelines, patients often are too. Doctors often retaliate against patients who do not take statins (similar to how unvaccinated patients **were reprehensibly denied essential medical care during COVID-19**).

Employers sometimes require cholesterol numbers to meet a certain threshold for employment (although they never did anything on the scale of the COVID-19 vaccine mandates placed on workers around America). Similarly, life insurance policies often penalize those with "unsafe" cholesterol numbers.

Statin Injuries

My primary issue with the statins is not the fact we waste billions each year on a useless therapy (approximately 25 billion per year in America alone). Rather, it's the fact that they have a very high rate of injury. For example, the existing studies find between a 5% to 30% rate of injuries, and Dr. Malhotra, having gone through all the existing evidence estimates that 20% of statin users are injured by them.

Likewise, statins are well known for having a high percentage of patients discontinue the drugs due to their side effects (e.g., one large study found 44.7% of older adults discontinue the drugs within a year of starting them, while another large study of adults of all ages found 47% discontinued within a year).

Statins in turn, are linked to a large number of complications that have been well-characterized (e.g., mechanistically) and described throughout the medical literature. One group of side effects are those perceived by the patient (which often make them want to stop using the medications). These include:

A high incidence of muscle pain	Fatigue especially with exertion and exercise
Muscle inflammation (whose cause remains "unknown")	Autoimmune muscle damage
Psychiatric and neurologic issues such as depression, confusion, aggression, and memory loss	Severe irritability
Sleep issues	Musculoskeletal disorders and injuries
Sudden (sensorineural) hearing loss	Gastrointestinal distress

The other group are those not overtly noticed by the patient. These include:

Type-2 diabetes, particularly in women	Cancer
Liver dysfunction and failure	Cataracts
ALS-like conditions and other central motor disorders (e.g., Parkinson's disease and cerebellar ataxia)	Lupus-like syndrome
Susceptibility to herpes zoster (shingles)	Interstitial cystitis
Polymyalgia rheumatica	Kidney injury

Renal failure

From the start, I noticed statin patients often reported numbness, muscle pain, or cognitive issues after starting these drugs, which resolved once they stopped. When this was brought up with their doctors, the response was often hostile, with doctors insisting statins couldn't be the cause, citing their own experience or claiming the patient needed to continue the medication to avoid a heart attack.

In turn, as the years went by, I saw increasingly elaborate excuses being created to protect the statins from an ever-increasing awareness of their dangers. A common one was the "nocebo effect" – the idea that negative expectations caused the reported symptoms. For example, I lost count of how many doctors I knew who cited this 2016 study when patients stated they had been injured.

The nocebo effect is the opposite of the placebo effect. While the placebo effect occurs when a person experiences positive outcomes from a treatment because they believe it will help, the nocebo effect happens when negative outcomes arise simply because a person expects harm from a treatment, even if the treatment itself is harmless or ineffective.


This theory was used to dismiss patients' experiences despite the fact that many were unaware of possible side effects until they occurred and then looked them up.

If you take this story and replace "statin" with COVID-19 vaccines, you will see it is essentially what everyone has experienced over the last four years (e.g., I lost count of how many times vaccine myocarditis was diagnosed as "anxiety").

Note: *Two adverse event reporting systems exist for adverse reactions to pharmaceuticals, MedWatch and FAERS. Like VAERS, they suffer from severe underreporting (it is estimated only 1% to 10% of adverse events are reported to them), but none the less, thousands of (ignored) reports can be found there of the common injuries which result from statins.*

Conclusion

Most pharmaceutical medications work by blocking the function of an enzyme within the body, which while an effective way to change physiology, is often incredibly detrimental as each enzyme within the body is there for a reason. Statins do just that (and at the time were a revolutionary approach since decades of research had not yielded a consistent way to lower cholesterol). Unfortunately, the enzyme they chose doesn't just lower cholesterol.



Sadly, however, since that was the only way to make statin's "work," the research community has largely ignored the consequences of eliminating all the other essential biomolecules that originate from mevalonate. For example, many of the characteristic side effects of statins can be addressed by simply supplementing with Coenzyme Q10 (an essential nutrient for the mitochondria, heart and muscles) – in fact Merck even patented a Statin-CoQ10 preparation.

However, acknowledging that would be akin to admitting statins are not "safe and effective" and it hence has never been done (a situation analogous to the fact many disabling childhood vaccine injuries could be avoided if the vaccines were spaced out, yet those who proposed doing so are instead simply attacked for "not following the CDC's schedule").

Worse still, the massive market for "lowering cholesterol" has suppressed all research into the actual causes of heart disease and as a result, despite spending 25 billion a year on statins, heart remains the top cause of death in America. This is an immense tragedy as the actual causes and treatments of heart disease have been known for decades, but still remain Forgotten Sides of Medicine.